

### Amendments to the Claims

1. (Original) A dispensing device for using a flow of water during a toilet flush to dispense toilet bowl treatment preparations into a toilet bowl, the device comprising:

a bottle for holding a liquid;

a base for holding the bottle;

a wicking device supported by the base, the wicking device being suitable to convey the liquid from the bottle to a dispensing position within the flow of water during a toilet flush;

a container holding a dissolvable product, the container being configured to permit water from the flow of water to enter the container during a toilet flush, and the container including an opening configured to permit a mixture comprising water and dissolved product to be released from the container into the toilet bowl; and

suspension means for suspending the base from a rim of the toilet bowl.

2. (Original) The dispensing device of claim 1, wherein the liquid comprises a surfactant.

3. (Original) The dispensing device of claim 1, wherein the liquid comprises a fragrance.

4. (Original) The dispensing device of claim 1, wherein the dissolvable product includes a bleaching agent or a chlorine releasing agent.

5. (Original) A dispensing device for using a flow of water during a toilet flush to dispense toilet bowl treatment preparations into a toilet bowl, the device comprising:

a bottle for holding a liquid, the bottle having a mouth and a closure for covering the mouth;

a base for holding the bottle, the base having a piercing post, the piercing post being suitable for opening the closure of the bottle;

a wicking device supported by the base, the wicking device being suitable to convey the liquid from the piercing post to a dispensing position within the flow of water during a toilet flush;

a container holding a dissolvable product, the container being configured to permit water from the flow of water to enter the container during a toilet flush, the container including a dispensing conduit configured to permit a mixture comprising water and dissolved product to be released from the container into the toilet bowl, the dispensing conduit being dimensioned such that a portion of the mixture is released into the toilet bowl after the toilet flush is complete; and

suspension means for suspending the base from a rim of the toilet bowl, wherein the dissolvable product comprises a solid including at least one component that is incompatible with at least one component of the liquid.

6. (Original) The dispensing device of claim 5, wherein the liquid comprises a surfactant.

7. (Original) The dispensing device of claim 5, wherein the liquid comprises a fragrance.

8. (Original) The dispensing device of claim 5, wherein the dissolvable product includes a bleaching agent or a chlorine releasing agent.

9. (Previously Presented) A dispensing device for using a flow of water during a toilet flush to dispense toilet bowl treatment preparations into a toilet bowl, the device comprising:

a bottle for holding a liquid;

a base for holding the bottle;

a wicking device supported by the base, the wicking device being suitable to convey the liquid from the bottle to a dispensing position within the flow of water during a toilet flush;

a container attached at a bottom end of the base such that the container extends below the base, the container holding a dissolvable product, the container being configured to permit water from the flow of water to enter the container during a toilet flush, and the container including an opening configured to permit a mixture comprising water and dissolved product to be released from the container into the toilet bowl; and

suspension means for suspending the base from a rim of the toilet bowl.

10. (Previously Presented) The dispensing device of claim 9, wherein the liquid comprises a surfactant.

11. (Previously Presented) The dispensing device of claim 9, wherein the liquid comprises a fragrance.

12. (Previously Presented) The dispensing device of claim 9, wherein the dissolvable product includes a bleaching agent or a chlorine releasing agent.

13. (Previously Presented) A dispensing device for using a flow of water during a toilet flush to dispense toilet bowl treatment preparations into a toilet bowl, the device comprising:

a bottle for holding a liquid, the bottle having a mouth and a closure for covering the mouth;

a base for holding the bottle, the base having a piercing post, the piercing post being suitable for opening the closure of the bottle;

a wicking device supported by the base, the wicking device being suitable to convey the liquid from the piercing post to a dispensing position within the flow of water during a toilet flush;

a container attached at a bottom end of the base such that the container extends below the base, the container holding a dissolvable product, the container being configured to permit water from the flow of water to enter the container during a toilet flush, the container including a dispensing conduit configured to permit a mixture

comprising water and dissolved product to be released from the container into the toilet bowl, the dispensing conduit being dimensioned such that a portion of the mixture is released into the toilet bowl after the toilet flush is complete; and

suspension means for suspending the base from a rim of the toilet bowl, wherein the dissolvable product comprises a solid including at least one component that is incompatible with at least one component of the liquid.

14. (Previously Presented) The dispensing device of claim 13, wherein the liquid comprises a surfactant.

15. (Previously Presented) The dispensing device of claim 13, wherein the liquid comprises a fragrance.

16. (Previously Presented) The dispensing device of claim 13, wherein the dissolvable product includes a bleaching agent or a chlorine releasing agent.